K-C Docket No.: 19687 Serial No.: 10/748,614

Response to Restriction Requirement Dated: November 29, 2005

Listing of Claims

1. (original) A wet wipe comprising a cleaning fluid and a laminate wherein the laminate comprises

a first layer comprising a web capable of holding and releasing the cleaning fluid comprising a thickness X;

a second layer adjacent the first layer having a lesser affinity for the cleaning fluid than the first layer, said second layer comprising a thickness Y and an overall percentage of the cleaning fluid present in the wipe Z;

wherein

(original) The wet wipe of claim 1, further comprising a third layer which comprise a web capable of holding and releasing the cleaning fluid said third layer has a thickness X', wherein the percentage Z of the overall cleaning fluid present in the wet wipe present in the second laver is

- 3. (original) The wet wipe of claim 2, wherein second layer allows the cleaning fluid to pass between the first layer and the third layer, comprises at least 35% of the thickness of the laminate and holds less than 35 % by weight of the cleaning fluid present in the wipe.
- 4. (original) The wet wipe of claim 3, wherein the second layer holds less that 30% by weight of the cleaning fluid in the wipe.
- 5. (original) The wet wipe of claim 4, wherein the second layer holds less that 10% by weight of the cleaning fluid in the wipe.

K-C Docket No.: 19687 Serial No.: 10/748,614

Response to Restriction Requirement Dated: November 29, 2005

- 6. (original) The wet wipe of claim 2, wherein the first layer and third layers each comprise a nonwoven web independently selected from the group consisting of a coform nonwoven web, a meltblown nonwoven web, an airlaid nonwoven web, a bonded carded web, a hydroentangled nonwoven web or a cellulosic fiber web.
- 7. (currently amended) The wet wipe of claim 6, wherein the nonwoven material of the first layer and the second third layer comprises a coform nonwoven web.
- 8. (withdrawn) The wet wipe of claim 2, wherein the second layer comprises a foam, an apertured film, an apertured textured film or a hydrophobic nonwoven web.
- 9. (withdrawn) The wet wipe of claim 8, wherein the second layer comprises an apertured textured film.
- 10. (withdrawn) The wet wipe of claim 9, wherein the first and third layers each comprise a coform nonwoven web.
- 11. (currently amended) The wet wipe of claim 7, wherein the coform nonwoven web comprises webs each independently comprise between about 40 to about 80 % by weight of pulp, and from about 20 to about 60 % by weight of thermoplastic filaments.
- 12. (withdrawn) The wet wipe of claim 10, wherein the coform nonwoven web comprises between about 40 to about 70 % by weight of pulp, and from about 30 to about 60 % by weight of thermoplastic filaments.
- 13. (original) The wet wipe of claim 1, wherein the second layer comprises a closed cell foam.
- 14. (original) The wet wipe of claim 2, wherein the second layer comprises a closed cell foam.
- 15. (original) The wet wipe of claim 7, wherein the second layer comprises a closed cell foam.
- 16. (original) The wet wipe of claim 15, wherein the second layer essentially does not contain any of the cleaning fluid in the wipe.

K-C Docket No.: 19687 Serial No.: 10/748,614

Response to Restriction Requirement Dated: November 29, 2005

- 17. (original) The wet wipe of claim 15, wherein the coform nonwoven web comprises between about 40 to about 80 % by weight of pulp, and from about 20 to about 60 % by weight of thermoplastic filaments.
- 18. (currently amended) The wet wipe of claim 2, wherein the first and third layers each independently have a basis weight of about 10 gsm to about 34 gsm, and the third second layer has a basis weight of about 5 gsm to about 34 gsm.
- 19. (currently amended) The wet wipe of claim 7, wherein the first and third layers each independently have a basis weight of about 10 gsm to about 34 gsm, and the third second layer has a basis weight of about 5 gsm to about 34 gsm.